## **IN THE CLAIMS:**

Please cancel claims 2-6 and 10-14 without prejudice to or disclaimer of the subject matter recited therein.

Please amend claims 1, 7-9 and 15-16 and add new claims 17-24 as follows:

## **LISTING OF CURRENT CLAIMS**

Claim 1. (Currently Amended) A plasma display panel structure having polarization plate is comprised of: comprising:

- a) a plasma display panel, which further includes:
  - i) a front glass, which has <u>a</u> first face and <u>a</u> second face, and through which the plasma display panel displays images to the outside; <u>and</u>
  - <u>ii)</u> a rear glass, which has <u>a</u> first face and <u>a</u> second face, and the first face of which is corresponding to the second face of front glass, and a plasma is enclosed between the first face of rear glass and the second face of front glass; and
- <u>b</u>) a filter, which has plural layers, and having a plurality of layers which is disposed in front of the first face of the front glass, and one layer of which is a polarization layer: includes:
  - i) a glass layer having first and second opposite sides;
  - ii) two anti-reflecting layers, a first of the two anti-reflecting layers located on the first side of the glass layer, and a second of the two anti-reflecting layers spaced from the second side of the glass layer and located between the glass layer and the front glass of the plasma display panel;
  - <u>iii)</u> an electromagnetic wave shielding layer located on the second side of the glass layer; and
  - iv) a polarization plate located between the electromagnetic wave shielding and the second of the two anti-reflecting layers, wherein
- the second of the two anti-reflecting layers faces toward the first face of the front glass of the plasma display panel.

5

15

## Claims 2-6. (Canceled)

Claim 7. (Currently Amended) The plasma display panel structure having polarization plate according to claim 1, wherein an appropriate distance is spaced between the filter and the first face of front glass. glass are spaced apart a predetermined distance.

Claim 8. (Currently Amended) The plasma display panel structure having polarization plate according to claim 1, wherein the filter is directly formed upon the first face of the front glass.

Claim 9. (Currently Amended) A plasma TV, which includes a plasma display panel structure having polarization plate and being comprised of: comprising:

- <u>a)</u> a plasma display panel, which further includes:
  - i) a front glass, which has <u>a</u> first face and <u>a</u> second face, and through which the plasma display panel displays images to the outside; <u>and</u>
  - <u>ii)</u> a rear glass, which has <u>a</u> first face and <u>a</u> second face, and the first face of which is corresponding to the second face of front glass, and a plasma is enclosed between the first face of rear glass and the second face of front glass; and
- <u>b</u>) a filter, <del>which has plural layers, and</del> <u>having a plurality of layers</u> which is disposed in front of the first face of <u>the</u> front glass, and <del>one layer of which is a polarization layer.</del> <u>includes:</u>
  - <u>a glass layer having first and second opposite sides;</u>
  - ii) two anti-reflecting layers, a first of the two anti-reflecting layers located on the first side of the glass layer, and a second of the two anti-reflecting layers spaced from the second side of the glass layer and located between the glass layer and the front glass of the plasma display panel;
  - iii) an electromagnetic wave shielding layer located on the second side of the glass layer; and

10

15

25

<u>iv)</u> a polarization plate located between the electromagnetic wave shielding and the second of the two anti-reflecting layers, wherein,

the second of the two anti-reflecting layers faces toward the first face of the front glass of the plasma display panel.

Claims 10-14. (Canceled)

Claim 15. (Currently Amended) The plasma display panel structure having polarization plate TV according to claim 9, wherein an appropriate distance is spaced between the filter and the first face of the front glass. glass are spaced apart a predetermined distance.

Claim 16. (Currently Amended) The plasma display panel structure having polarization plate <u>TV</u> according to claim 9, wherein the filter is directly formed upon the first face of the front glass.

Claim 17. (New) The plasma display panel structure of claim 1, further comprising a color compensating layer located between the second side of the glass layer and the polarization plate.

Claim 18. (New) The plasma TV of claim 9, further comprising a color compensating layer located between the second side of the glass layer and the polarization plate.

Claim 19. (New) A plasma display panel structure comprising:

- a) a plasma display panel, which further includes:
  - i) a front glass, which has a first face and a second face, and through which the plasma display panel displays images to the outside; and
  - ii) a rear glass, which has a first face and a second face, and the first face of which is corresponding to the second face of front glass, and a plasma is enclosed between the first face of rear glass and the second face of front glass; and
- b) a filter, having a plurality of layers, and which is disposed in front of the first face of the front glass, and includes:
  - a glass layer having first and second opposite sides, the second side facing toward the plasma display panel;
  - ii) two anti-reflecting layers, a first of the two anti-reflecting layers located on the second side of the glass layer, and a second of the anti-reflecting layers spaced from the first side of the glass layer;
  - iii) a polarization plate located between the second anti-reflecting layer and the first side of the glass layer;
  - iv) a color compensating layer on the first side of the glass layer; and
  - v) an electromagnetic wave shielding layer between the color compensating layer and the polarization plate, wherein,

the first of the two anti-reflecting layers faces toward the first face of the front glass of the plasma display panel.

Claim 20. (New) The plasma display panel structure according to claim 19, wherein the filter and the first face of front glass are spaced apart a predetermined distance.

5

15

Claim 21. (New) The plasma display panel structure according to claim 9, wherein the filter is directly formed upon the first face of the front glass.

## Claim 22. (New) A plasma TV, comprising:

- a) a plasma display panel, which further includes:
  - a front glass, which has a first face and a second face, and through which the plasma display panel displays images to the outside; and
  - ii) a rear glass, which has a first face and a second face, and the first face of which is corresponding to the second face of front glass, and a plasma is enclosed between the first face of rear glass and the second face of front glass; and,
- b) a filter, having a plurality of layers which is disposed in front of the first face of the front glass, and includes:
  - a glass layer having first and second opposite sides, the second side facing toward the plasma display panel;
  - ii) two anti-reflecting layers, a first of the two anti-reflecting layers located on the second side of the glass layer, and a second of the anti-reflecting layers spaced from the first side of the glass layer;
  - iii) a polarization plate located between the second anti-reflecting layer and the first side of the glass layer;
  - iv) a color compensating layer on the first side of the glass layer;and
  - v) an electromagnetic wave shielding layer between the color compensating layer and the polarization plate, wherein,

the first of the two anti-reflecting layers faces toward the first face of the front glass of the plasma display panel.

10

5

15

Application No. 10/624,514

Claim 23. (New) The plasma TV according to claim 22, wherein the filter and the first face of the front glass are spaced apart a predetermined distance.

Claim 24. (New) The plasma TV according to claim 22, wherein the filter is directly formed upon the first face of the front glass.